


WARNING: Capacitors with insufficient voltage ratings may explode!



You can go on adding as many segments of 30 LED's as you like.

For House supply 220 volts AC
use 0.22uF 400volt. 1K 1/2 watt.

LED Tube light (AC) Designed by Dipankar Ghosh



40 FLA 50 AMP RES. PER POLE
600V MAX


VAC	10 HP	30 HP	LRA
120	3		
240	7.5	10	240
480		20	200
600		25	160

ABOVE 240 BREAK ALL LINES
HERM. REFRIG. COMP.
TORQUE FOR CU 75C SCREWS 22 LB-IN LUGS 25 LB-IN
HARTLAND CONTROLS ROCK FALLS IL


HCCY3XU04CG
COIL 208/240 VAC 50/60 HZ



MADE IN CHINA
C9012 F




Light
Control
Module



Wiring Harness



Wiring
Clamps



Fuse

Rear Brake
Switch




Flasher




Starter Relay



Cable | Starter
Motor to Relay



Cable | Battery to
Earth



Fuse Location	
Row One (top)	
F1	10A Switch
F2	10A Light
F3	5A Air
F4	5A Oil
F5	10A Cont
F6	10A Cont
Row Two Left	
F7	10A F1
Row Three Left	
F12	10A Drive
F13	10A Head
F14	10A Air
F15	20A Rear
F16	10A Rear
F17	10A Alarm
Row Four Left	
F18	50A Drive
F19	20A Onb
F20	25A Head
F21	30A Rear
F22	15A Fuse
Row Five Left	
F23	30A Head
Row Six Left to	
F24	40A Air
F41	15A R
F42	20A 1
Row Seven (bo	
F43	F43

2010 Golf TDI build date ???? 4 Door, Bixenon headlights, heated seats, Dynaudio, rear airbags. My option codes as listed on Options Sticker stuck to page 22 of the USA Warranty and Maintenance (and service schedule) manual are listed below. Note: Codes can be decoded from webpage:

<http://igorweb.org/equidec/Default.aspx>

5k1;BOD;CVO;GOK;H7K;J1D;D91;1AT;1G4;2PP;1NL;5RR;5SH;TR4;OBE;3U4;QGO;8AX;8gu;8L6;1KS;1ZP;G07;7GB;OY3;4UM;4X4;4R4;4KO;N2M;5MA;9VE;2JZ;EOA;OAE;OBE;2UC;2G5;1JC;L58;OYC

